



#### **INDEX**



EOS Rectangular	5-6
EOS Rectangular, Square	7
EOS Round	8
EOS X-Large	9-10



EOS Hybrid Dater 11



EOS Express 13



EOS Stamp Mouse 15
EOS Pocket Stamp, Stamp Writer 16
EOS Spare Parts 17






EOS Typesetting Tool 23



EOS Quickstart Guides 24-30

# **EOS LINE**



Quick-drying ink available!



EOS 10	
size of imprint	12 x 27 mm
colour of handle	
recommended number of lines	3
packaging	10
kit contains	



SUSAN WILLIAMS 895 River Blvd. #145 Phoenix, AZ 85063

12 x 27 mm

EOS 20	
size of imprint	14 x 38 mm
colour of handle	
recommended number of lines	4
packaging	10
kit contains	



PAUL A. JACOBS NINETH AVENUE 247 DENVER, CO 75060 TEL: 555 290 410

14 x 38 mm



EOS 30	
size of imprint	18 x 51 mm
colour of handle	
recommended number of lines	5
packaging	10
kit contains	



**FLASH W. GORDON** 

5160 East Highway 99 Phoenix, AZ 85063 tel: 555 290 310 fax 555 290 311

18 x 51 mm



EOS 40	
size of imprint	23 x 59 mm
colour of handle	
recommended number of lines	6
packaging	10
kit contains	





size of imprint

colour of handle

recommended number of lines

packaging

kit contains



BOB'S GARAGE
34 Glenndale Ave. 99
Phoenix, AZ 85063
mobile: 0555 230 219
tel: 555 240 227
fax 555 240 228
e-mail: bob@garage.net

30 x 70 mm



# size of imprint colour of handle recommended number of lines packaging kit contains



### **FLASH W. GORDON**

5160 East Highway 99
Phoenix, AZ 85063
mobile: 555 290 311
tel: 555 290 310
fax 555 290 311
e-mail: flash@w.gordon.com
www.flashwgordon.com

38 x 76 mm

EOS 25	
size of imprint	15 x 76 mm
colour of handle	
recommended number of lines	4
packaging	
kit contains	





15 x 76 mm

EOS 35	
size of imprint	30 x 51 mm
colour of handle	
recommended number of lines	7
packaging	10
kit contains	



## WAYNE INDUSTRIES

390 Gotham Lane 99 Gotham City, GC 10086 tel: 555 490 310 fax 555 490 311 e-mail: wayne@industries.net

30 x 51 mm

EOS 45	
size of imprint	25 x 82 mm
colour of handle	
recommended number of lines	6
packaging	10
kit contains	





25 x 82 mm

EOS 55	
size of imprint	40 x 63 mm
colour of handle	
recommended number of lines	9
packaging	10
kit contains	





40 x 63 mm



EOS 58	
size of imprint	32 x 82 mm
colour of handle	
recommended number of lines	7
packaging	10
kit contains	



# LANCASTER GARDEN PRODUCTS Gardening-Equipment and Supplies

Stockton Lane I York Yo65 5UE
Tel: 1555 40 01 41
Fax: 1555 40 01 85
e-mail: lancaster@garden.co.uk

e-mail: garden@equip\_supplies.co.uk

32 x 82 mm

EOS 12	
size of imprint	8 x 64 mm
colour of handle	
recommended number of lines	2
packaging	10
kit contains	



**FLASH W. GORDON** mobile: 555 290 311 tel: 555 290 310

8 x 64 mm

EOS 22	
size of imprint	13 x 51 mm
colour of handle	
recommended number of lines	4
packaging	10
kit contains	



#### MARY COOPER

28 Hucclecote Road • Gloucester GL5 9TH Tel: 1452 54 33 2 • e-mail: mary@cooper.co.uk please visit my homepage: www.marysworld.com

13 x 51 mm

EOS 32	
size of imprint	18 x 64 mm
colour of handle	
recommended number of lines	5
packaging	10
kit contains	





#### **PAULA A. JACOBS**

Nineth Avanue 247 Denver, CO 75060 Mobile: 555 290 310 E-mail: paulajacobs.com

18 x 64 mm

EOS Q 30	
size of imprint	30 x 30 mm
colour of handle	
recommended number of lines	7
packaging	10
kit contains	



#### **FLASH W. GORDON**

Phoenix, AZ 85063 mobile: 555 290 311 tel: 555 290 310

e-mail: flash@w.gordon.com

30 x 30 mn



EOS R 17	
size of imprint	Ø 17 mm
colour of handle	
recommended number of lines	3
packaging	10
kit contains	





Ø 30 mm
5
10





EOS R 40	
size of imprint	Ø 42 mm
colour of handle	
recommended number of lines	7
packaging	10
kit contains	





EOS R 45		
size of imprint	Ø 45 mm	
colour of handle		
recommended number of lines	9	
packaging		
kit contains		





EOS R 50	
size of imprint	Ø 51 mm
colour of handle	
recommended number of lines	11
packaging	10
kit contains	







EOS 110	
size of imprint	47 x 98 mm
colour of handle	
recommended number of lines	10
packaging	
kit contains	



47 x 98 mm

EOS 112	
size of imprint	50 x 75 mm
colour of handle	
recommended number of lines	10
packaging	
kit contains	



50 x 75 mm

EOS 115	
size of imprint	60 x 80 mm
colour of handle	
recommended number of lines	12
packaging	
kit contains	



60 x 80 mm

**EOS 120** 

packaging kit contains

kit contains

size of imprint colour of handle

recommended number of lines



70 x 95 mm

# ALL DIMENSIONS ARE CERTIFIED AS ON ORIGINAL DRAFT REVISIONS MADE ARE RECORDED AND FILED BY THE FOLLOWING ▼ Initials & Date Dept. EOS 130 size of imprint 89 x 114 mm colour of handle recommended number of lines 18 packaging

89 x 114 mm

**COLO**F 605 130



# **Hybrid Dater**

## Unique combination of flash- and self-inking-technology

Combines the sturdy date functionality of a self-inking stamp with the flexibility and convenience of a flash-stamp custom textplate.



Rubber-datebands offer robust quality



Flash text plate can be made in a few minutes



Band cover for clean handling



Easy to change ink pads



# size of imprint colour of handle recommended number of lines packaging



Christophers American Bar & Grill				
	12	NOV	2020	
21 Well 020 78	ingtor 361235	Street, L 89, www	ondon SV. american	V2 9RS grill.uk

25 x 47 mm

# **EOS Express**

#### The fastest way to make a stamp

With the EOS Express cartridge stamps are produced within seconds. The assembling steps are minimized - no extra clear film needed. The optimized inking process makes the stamp ready to use in a few minutes. All EOS Express mounts consist at least of 50 % recycled plastic.



EOS 20		
size of imprint	14 x 38 mm	
colour of handle		
recommended number of lines	4	
packaging	10	
kit contains		



PAUL A. JACOBS NINETH AVENUE 247 DENVER, CO 75060 TEL: 555 290 410

14 x 38 mm



EOS 30	
size of imprint	18 x 51 mm
colour of handle	
recommended number of lines	5
packaging	10
kit contains	



#### **FLASH W. GORDON**

5160 East Highway 99 Phoenix, AZ 85063 tel: 555 290 310 fax 555 290 311

18 x 51 mm

EOS 40	
size of imprint	23 x 59 mm
colour of handle	
recommended number of lines	6
packaging	
kit contains	





EOS 50	
size of imprint	30 x 70 mm
colour of handle	
recommended number of lines	7
packaging	10
kit contains	



BOB'S GARAGE
34 Glenndale Ave. 99
Phoenix, AZ 85063
mobile: 0555 230 219
tel: 555 240 227
fax 555 240 228
e-mail: bob@garage.net

30 x 70 mm

EOS 60	
size of imprint	38 x 76 mm
colour of handle	
recommended number of lines	8
packaging	10
kit contains	



#### FLASH W. GORDON

5160 East Highway 99
Phoenix, AZ 85063
mobile: 555 290 311
tel: 555 290 310
fax 555 290 311
e-mail: flash@w.gordon.com
www.flashwgordon.com

38 x 76 mm

15 x 76 mm
4
10






15 x 76 mm

# **Portable Stamps**







EOS Stamp Mouse 30							
nm							
5							



THOMAS A. JERRY
Mouse Avenue 123
Mice City, MC 191087
e-mail: thomas@jerry.com
www.thomas-a-jerry.com

19 x 49 mm

EOS Stamp Mouse R 40								
size of imprint	Ø 40 mm							
colour of handle								
recommended number of lines	7							
packaging	25							
kit contains								













EOS Pocket Stamp 20								
size of imprint	14 x 38 mm							
colour of handle								
recommended number of lines	4							
packaging	10							



PAUL A. JACOBS NINETH AVENUE 247 DENVER, CO 75060 TEL: 555 290 410

14 x 38 mm

EOS Pocket Stamp 30								
size of imprint	18 x 51 mm							
colour of handle								
recommended number of lines	5							
packaging	10							



#### **FLASH W. GORDON**

5160 East Highway 99 Phoenix, AZ 85063 tel: 555 290 310 fax 555 290 311

18 x 51 mm

EOS Pocket Stamp 40								
size of imprint	23 x 59 mm							
colour of handle								
recommended number of lines	6							
packaging	10							





23 x 59 mm

<b>EOS Stamp Writer</b>	
size of imprint	8 x 33 mm
colours	11
recommended number of lines	3
specials: case	



STAN WRITE mobile: 021-898 5107 e-mail: stan@write.com 8 x 33 mm

		<b>it</b> .cartridge, foam	Mount		Cartridge		Foam	Spare Pad Hybrid	Handle red/grey
	inked	uninked		inked	uninked	XPRESS			
Rectangular/Round/Square			6007	600					
EOS 10	х	х	х	х	х		х		х
EOS 12	х	х	х	х	х		х		Х
EOS 20	х	х	х	х	X 2 colour		X 2 colour		Х
EOS 22	х	х	х	х	х		х		х
EOS 25	х	х	х	х	х		х		Х
EOS 30	х	х	х	х	X 2 colour		X 2 colour		Х
EOS 32	х	х	х	Х	х		X		х
EOS 35	Х	х	х	х	x		X		х
EOS 40	Х	х	х	х	X 2 colova		X 2 COLOUR		х
EOS 45	Х	Х	х	х	х		х		х
EOS 50	Х	х	х	х	х		х		х
EOS 55	Х	Х	х	х	х		х		Х
EOS 58	Х	х	х	х	х		х		х
EOS 60	Х	х	х	х	х		х		х
EOS Q 30	Х	х	х	х	х		х		х
EOS R 17	х	х	х	х	х		х		
EOS R 30	Х	х	х	х	х		х		х
EOS R 40	Х	х	х	х	х		х		х
EOS R 45	Х	х	х	х	х		х		Х
EOS R 50	х	х	х	х	х		х		Х
XPRESS									
EOS Express 20	Х		х			X			
EOS Express 30	Х		х			X			
<b>EOS Express 40</b>	Х		х			X			
<b>EOS Express 50</b>	Х		X			X			
<b>EOS Express 60</b>	X		X			X			
<b>EOS Express 25</b>	X		X						
X-LARGE									
EOS 110		X					X		
EOS 112		X					X		
EOS 120		Х					Х		
EOS 130		Х					Х		
EOS 140		Х		-			Х		
Hybrid Dater							_		
EOS Printer 38 Hybrid Dater	<sup>1)</sup> <b>X</b>						Х	Х	
Stamp Mouse	_				2)		_		
EOS Stamp Mouse 20		Х			<sup>2)</sup> <b>X</b>				
EOS Stamp Mouse 30		х			<sup>2)</sup> <b>x</b>				
EOS Stamp Mouse R 40		Х			<sup>2)</sup> <b>X</b>				
Stamp Writer									
Stamp Writer Flash		Х					Х		
Pocket Stamp									
EOS Pocket Stamp 20			X						
EOS Pocket Stamp 30			X						
EOS Pocket Stamp 40			Х						

# Flash Machine

#### Optimally adjusted for the production of EOS stamps

The compact COLOP FS-800, FS-1200 and FS-1200 T are simple to use. The machines are optimized for the whole EOS-product range and the system guarantees excellent results every time.



FS-800	
machine size	242 x 242 x 177 mm
exposure area	98 x 58 mm
number of exposure lamps	2
power supply	220 V / 50 Hz
frequency	50/60 Hz
maximum power consumption	9 A



FS-1200	
machine size	242 x 242 x 177 mm
exposure area	125 x 98 mm
number of exposure lamps	3
power supply	220 V / 50 Hz
frequency	50/60 Hz
maximum power consumption	9 A



FS-1200 T	
machine size	307 x 242 x 177 mm
exposure area	125 x 98 mm
number of exposure lamps	3
power supply	220 V / 50 Hz
frequency	50/60 Hz
maximum power consumption	9 A



#### Distance Plate Hybrid Dater FS-800

format	100 x 60 x 10,5 mm
packaging	1 pc




#### Distance Plate Hybrid Dater FS-1200 (T)

format	136 x 110 x 10,5 mm
packaging	1 pc



#### EOS Media Sheet A4

format	210 x 297 mm
packaging	50 pcs
thickness	0,09 mm



#### EOS ink

colours		
content	10 ml	250 ml
packaging	10	



#### EOS quick-drying ink

_		
colours		
content	25 ml	250 ml
packaging	10	ñ



EOS Vellum A4	
format	210 x 297 mm
packaging	100 pcs
thickness	0,09 mm



EOS Vellum A6	
format	105 x 148 mm
packaging	100 pcs
thickness	0,09 mm



EOS Clear Film A4	
format	210 x 297 mm
packaging	100 pcs



EOS Clear Film A6	
format	105 x 148 mm
packaging	100 pcs



EOS Signature and Repair Pen				
packaging	1 pc			
line width	0,5 mm			



# **EOS Typesetting Tool**



The EOS Typesetting Tool is a CD containing everything the user will need to create textplates in minutes. It offers templates as well as the ability to upload photographs.



Run directly from CD



Includes templates for all EOS sizes




Make stamps with your photo!





Incl. EOS Photo Stamp Tool

Your Logo











#### **Un-inked cartridges**




Model	EOS 10	EOS 12	EOS 20	EOS 22	EOS25	EOS 30	EOS 32	EOS 35	EOS40	EOS 50	EOS 58	EOS 60
weight of ink	2,5 g	4,2 g	3,6 g	4,7 g	7,1 g	5,6 g	7,2 g	8,5 g	7,8 g	11,3 g	14,3 g	15,0 g
Model	FOC 070	FOC D 70	FOCD 40	FOC D 4F	FOC D FO							
Model	EOS Q30	EOS R 30	EOS R 40	EUS R 45	EUS R 50							
















Model	EOS 110	EOS 112	EOS 115	EOS 120	EOS 130	EOS 140
weight of ink	31 g	26 g	31 g	41 g	63 g	67 g

















































































Model	Stamp Mouse 20	Stamp Mouse 30	Stamp Mouse R 40
weight of ink	1,0 g	1,8 g	2,5 g

















Model	Stamp Writer
weight of ink	0,5 g

EOS Pocket Stamp			
distance plate	Standar	d or Express	
machine	FS-800	FS-1200 (T)	







Page 24













Page 26









